

IN THE CLAIMS:

1. (Previously Presented) A box in cardboard or a similar material for medicines or other products, said box comprising:

four sections forming two opposite faces and two opposite sides;

an appendage, said appendage glued to an inside of one of said sides forming a first  
5 compartment and a second compartment; and

two closing walls, one of said two faces comprising an opening defined by an incomplete cut line for securing at least a portion of the material covering the opening, said portion of material being removed to extract sheet-like contents located within said first compartment, said glued appendage is shaped approximately like the side to which it is glued and extends to form  
10 both a dividing wall that is shaped like a face and is internally adjacent to said face having an opening, and a successive appendage positioned inside and against the other of said two sides, said first compartment being devoid of a closing wall and comprising an aperture accessible for the extraction and insertion of said information sheet independently of the opening or closing of said second compartment.

2. (Previously Presented) A box according to claim 1, wherein one of said closing walls extends from said dividing wall.

3. (Previously Presented) A box according to claim 1, wherein one of said closing walls extends from the face opposite to the face equipped with the opening.

4. (Previously Presented) A box according to claim 1, wherein the information sheet is repeatedly folded, stabilized in the folded position, and lightly glued to the cardboard material of the box.

5. (Previously Presented) A box according to claim 1, wherein said information sheet is glued to said portion covering said opening, that must be removed to allow extraction of said sheet.

6. (Previously Presented) A box according to claim 1, wherein said portion of material covering said opening is smaller than said opening.

7. (Currently Amended) A method for the automated production of a box ~~according to claim 1~~, the method comprising:

~~creating a dividing wall and a contiguous appendage to form a stabilizing flap for said wall;~~

folding an information sheet;

providing four sections of material to form two opposite faces and two opposite sides;

gluing an appendage to an inside of one of said sides forming a first compartment and a second compartment;

forming two closing walls, one of said two faces comprising an opening defined by an incomplete cut line for securing at least a portion of the material covering the opening, said

portion of material being removed to extract sheet-like contents located within said first compartment, said glued appendage being shaped approximately like the side to which it is glued and extends to form both a dividing wall that is shaped like a face and is internally adjacent to said face having an opening, and a successive appendage positioned inside and against the other of said two sides, said successive appendage forming a stabilizing flap for said dividing wall, said first compartment being devoid of a closing wall and comprising an aperture accessible for the extraction and insertion of said information sheet independently of the opening or closing of said second compartment;

stabilizing said information sheet with a tear-off adhesive;

applying glue to the information sheet; and

feeding the information sheet for gluing onto one of the walls of ~~an additional~~ said first compartment during paper-product machining processes.

8. (Currently Amended) A ~~procedure~~ method according to claim 7, wherein said dividing wall is formed as an extension of the flap to be glued for making the body of the box.

9. (Currently Amended) A ~~procedure~~ method according to claim 7, wherein in the external face an opening is formed having a portion held on by anchoring sections that can be torn to allow removal of said portion.

10. (Currently Amended) A ~~procedure~~ method according to claim 9, wherein the sheet

is glued to the inside surface of said portion.

11. (Previously Presented) A method for creating a box, the method comprising:  
providing contiguous sections, said contiguous sections comprising an appendage;  
folding said sections to form two opposite faces, two opposite sides and two closing  
walls, said faces, said sides and said closing walls defining a main compartment;

5           folding said appendage such that said appendage forms a dividing wall within said main  
compartment forming an additional compartment defined by said dividing wall and one of said  
faces, said additional compartment being devoid of a closing wall, said additional compartment  
comprising an aperture accessible for the extraction and insertion of information sheets  
independently of opening or closing of said main compartment;

10           gluing said appendage to an inside of one of said sides and to said two closing walls; and  
providing an opening in one of said faces defined by an incomplete cut line for securing  
at least a portion of material covering said opening, said portion of material being removed to  
extract contents within said additional compartment.